Nuclear Engineering and Design 140 (1993) 429–431
North-Holland

Author Index to Volume 140

Akiyama, H., H. Ohtsubo, H. Nakamura, S. Matsuura, Y. Hagiwara, T. Yuhara, H. Hirayama, K. Kokubo and Y. Ooka, Outline of the seismic buckling design guideline of an FBR – a tentative draft 140 (1993) 319
Altes, J., Containment concepts for High Temperature Reactors 140 (1993) 27
Amano, K., R. Iwano and Y. Sibata, Three-dimensional analysis method for sloshing behavior and its application to FBRs 140 (1993) 297
Amon, G., see Stepan, H. 140 (1993) 147

Barrett, J.C., see Sinai, Y.L. 140 (1993) 159
Bickel, D.C., see Sugano, T. 140 (1993) 373
Bickel, D.C., see Sugano, T. 140 (1993) 387
Bickel, D.C., see Sugano, T. 140 (1993) 407
Breitung, W., Conservative estimates for dynamic containment loads from hydrogen combustions 140 (1993) 95
Buck, M., see Bürger, M. 140 (1993) 193
Bürger, M., J. Unfried, M. Buck, R. Kulenovic, S. Rösler, M. Groll and A. Schatz, Experimental examinations of the 2D-thermal-hydraulic code FRECON for single phase natural convection flows in complex structures 140 (1993) 193

Clement, C.F., see Sinai, Y.L. 140 (1993) 159
Coe, I.M. and D.B. Utton, The use of the COMPACT code for calculation of long term environmental effects as a result of high temperature discharges into confined areas 140 (1993) 69

Duchon, N.B., see Gou, P.F. 140 (1993) 19
Duo, D., see Shuyan, H. 140 (1993) 33

Ebadian, M.A., see MacGrath, D. 140 (1993) 269
Ebine, T., see Kuroda, T. 140 (1993) 3
Ellicott, P., see Smith, P.N. 140 (1993) 61

Ford, I.J., see Sinai, Y.L. 140 (1993) 159

Gethin, D.T., see Lewis, R.W. 140 (1993) 229
Gou, P.F., H.E. Townsend, P.S. Sawhney, K. Mandagi and N.B. Duchon, Containment design for the Advanced and Simplified Boiling Water Reactor standard plants 140 (1993) 19
Groll, M., see Bürger, M. 140 (1993) 193

Hagiwara, Y., see Akiyama, H. 140 (1993) 319
Haytcher, E., see Unal, C. 140 (1993) 211
Hirayama, H., see Akiyama, H. 140 (1993) 319

Ichimiya, M., see Igari, T. 140 (1993) 341
Igari, T., S. Kitade, M. Ueta, M. Ichimiya, K. Kimura, Y. Satoh and K. Take, Advanced evaluation of thermal ratchetting of FBR components 140 (1993) 341
Ito, Y., see Sumi, N. 140 (1993) 133
Itoh, C., see Sugano, T. 140 (1993) 407
Iwano, R., see Amano, K. 140 (1993) 297
Iwata, K., see Morishita, M. 140 (1993) 309
Iwata, K., see Tanaka, N. 140 (1993) 349

Jones, N., see Shen, W.Q. 140 (1993) 153

Kasai, Y., see Sugano, T. 140 (1993) 373
Kasai, Y., see Sugano, T. 140 (1993) 387
Kasai, Y., see Sugano, T. 140 (1993) 407
Kato, M., see Kuroda, T. 140 (1993) 3
Kikuchi, M., see Tanaka, N. 140 (1993) 349
Kimura, K., see Igari, T. 140 (1993) 341
Kitade, S., see Igari, T. 140 (1993) 341
Koga, T., see Takeda, H. 140 (1993) 331
Kokubo, K., see Akiyama, H. 140 (1993) 319
Koshika, N., see Sugano, T. 140 (1993) 373
Koshika, N., see Sugano, T. 140 (1993) 387
Koshika, N., see Sugano, T. 140 (1993) 407
Krieg, R., Can the acceptance of nuclear reactors be raised by a simpler, more transparent safety concept employing improved containments? 140 (1993) 39
Kulenovic, R., see Bürger, M. 140 (1993) 193
Kuroda, T., T. Ebine, S. Sato and M. Kato, Recent advances in concrete containment vessels in Japan 140 (1993) 3

Lewis, R.W., Y. Zheng and D.T. Gethin, An adaptive finite element model for the behaviour of uranium hexafluoride filled container in a fire 140 (1993) 229

MacGrath, D., G. Yang and M.A. Ebadian, The effects of chemical concentration on liquid waste evaporation from the Melton Valley Storage Tanks (MVSTs) system 140 (1993) 269
Mandagi, K., see Gou, P.F. 140 (1993) 19
Maresca, G., P.P. Milella and G. Pino, Structural response of a nuclear power plant steel containment under H_2 detonation 140 (1993) 119
Matsuura, S., see Akiyama, H. 140 (1993) 319
Milella, P.P., see Maresca, G. 140 (1993) 119
Morishita, M. and K. Iwata, Seismic behavior of a free-standing core in a large LMFBR 140 (1993) 309

Nakamura, H., see Akiyama, H. 140 (1993) 319
Nelson, R., see Unal, C. 140 (1993) 211

Ohnuma, H., see Sugano, T. 140 (1993) 387
Ohtsubo, H., see Akiyama, H. 140 (1993) 319
Ooka, Y., see Akiyama, H. 140 (1993) 319
Orui, S., see Sugano, T. 140 (1993) 373

Parks, M.B., see Sugano, T. 140 (1993) 373
Parks, M.B., see Sugano, T. 140 (1993) 387
Parks, M.B., see Sugano, T. 140 (1993) 407
Pino, G., see Maresca, G. 140 (1993) 119

Rösler, S., see Bürger, M. 140 (1993) 193

Sato, S., see Kuroda, T. 140 (1993) 3
Satoh, Y., see Igari, T. 140 (1993) 341
Sawhney, P.S., see Gou, P.F. 140 (1993) 19
Schatz, A., see Bürger, M. 140 (1993) 193
Schulten, R., The HTR with SiC-technology 140 (1993) 261
Sekimoto, H., see Su'ud, Z. 140 (1993) 251
Shen, W.Q. and N. Jones, Uniaxial true stress–true strain curve for a ductile metal 140 (1993) 153
Shirai, K., see Sugano, T. 140 (1993) 407
Shuyan, H. and D. Duo, Containment for the Low Temperature District Nuclear-Heating Reactor 140 (1993) 33
Sibata, Y., see Amano, K. 140 (1993) 297
Sinai, Y.L., I.J. Ford, J.C. Barrett and C.F. Clement, Prediction of coupled heat and mass transfer in the Fast Reactor cover gas: the C-GAS code 140 (1993) 159
Smith, P.N. and P. Ellicott, A UK analysis of light gas distribution experiment E11.2 in the HDR facility 140 (1993) 61
Stepan, H. and G. Amon, Functional tests of French safety valves, type SEBIM, for their fitness for use in the primary system of German pressurized water reactors 140 (1993) 147
Sugano, T., H. Tsubota, Y. Kasai, N. Koshika, C. Itoh, K. Shirai, W.A. von Riesemann, D.C. Bickel and M.B. Parks, Local damage to reinforced concrete structures caused by impact of aircraft engine missiles. Part 2. Evaluation of test results 140 (1993) 407
Sugano, T., H. Tsubota, Y. Kasai, N. Koshika, H. Ohnuma, W.A. von Riesemann, D.C. Bickel and M.B. Parks, Local damage to reinforced concrete structures caused by impact of aircraft engine missiles. Part 1. Test program, method and results 140 (1993) 387
Sugano, T., H. Tsubota, Y. Kasai, N. Koshika, S. Orui, W.A. von Riesemann, D.C. Bickel and M.B. Parks, Full-scale aircraft impact test for evaluation of impact force 140 (1993) 373
Sumi, N. and Y. Ito, The propagation and reflection of thermal stress waves in anisotropic nonhomogeneous hollow cylinders and spheres 140 (1993) 133
Su'ud, Z. and H. Sekimoto, Preliminary design study of the ultra long life fast reactor 140 (1993) 251

Take, K., see Igari, T. 140 (1993) 341
Takeda, H., T. Koga and O. Watanabe, Experimental and computational simulation for natural circulation in an LMFBR 140 (1993) 331
Tanaka, N., K. Watashi, H. Umeda, M. Kikuchi and K. Iwata, Creep-fatigue failure test and analysis of a vessel-type structure subjected to cyclic thermal transients 140 (1993) 349
Tieszen, S.R., Effect of initial conditions on combustion generated loads 140 (1993) 81
Townsend, H.E., see Gou, P.F. 140 (1993) 19
Tsubota, H., see Sugano, T. 140 (1993) 373
Tsubota, H., see Sugano, T. 140 (1993) 387
Tsubota, H., see Sugano, T. 140 (1993) 407

Ueta, M., see Igari, T. 140 (1993) 341
Umeda, H., see Tanaka, N. 140 (1993) 349
Unal, C., E. Haytcher and R. Nelson, A phenomenological model of the thermal hydraulics of convective boiling during the quenching of hot rod bundles.. Part III: Model assessment using Winfrith steady-state, post-CHF, void-fraction and heat-transfer measurements and Berkeley transient-reflood test data 140 (1993) 211
Unfried, J., see Bürger, M. 140 (1993) 193
Utton, D.B., see Coe, I.M. 140 (1993) 69

Valencia, L.A., Hydrogen distribution tests under severe accident conditions at the Large-Scale HDR-facility 140 (1993) 51
Velikovsky, A., Safety of Ukraine's NPPs 140 (1993) 285
von Riesemann, W.A., see Sugano, T. 140 (1993) 373
von Riesemann, W.A., see Sugano, T. 140 (1993) 387
von Riesemann, W.A., see Sugano, T. 140 (1993) 407

Watanabe, O., see Takeda, H. 140 (1993) 331
Watashi, K., see Tanaka, N. 140 (1993) 349

Yang, G., see MacGrath, D. 140 (1993) 269
Yang, X., see Zhang, Z. 140 (1993) 111
Yuhara, T., see Akiyama, H. 140 (1993) 319

Zhang, Z. and X. Yang, Study on the structural analysis of the containment and the hydrogen detonation problem under severe accident conditions 140 (1993) 111
Zheng, Y., see Lewis, R.W. 140 (1993) 229

Nuclear Engineering and Design 140 (1993) 433–435
North-Holland

Subject Index to Volume 140

Thermal and fluid design

Prediction of coupled heat and mass transfer in the Fast Reactor cover gas: the C-GAS code, Y.L. Sinai, I.J. Ford, J.C. Barrett and C.F. Clement 140 (1993) 159

Experimental examinations of the 2D-thermal-hydraulic code FRECON for single phase natural convection flows in complex structures, M. Bürger, J. Unfried, M. Buck, R. Kulenovic, S. Rösler, M. Groll and A. Schatz 140 (1993) 193

A phenomenological model of the thermal hydraulics of convective boiling during the quenching of hot rod bundles. Part III: Model assessment using Winfrith steady-state, post-CHF, void-fraction and heat-transfer measurements and Berkeley transient-reflood test data, C. Unal, E. Haytcher and R. Nelson 140 (1993) 211

Preliminary design study of the ultra long life fast reactor, Z. Su'ud and H. Sekimoto 140 (1993) 251

The effects of chemical concentration on liquid waste evaporation from the Melton Valley Storage Tanks (MVSTs) system, D. MacGrath, G. Yang and M.A. Ebadian 140 (1993) 269

Heat conduction and transfer

Experimental and computational simulation for natural circulation in an LMFBR, H. Takeda, T. Koga and O. Watanabe 140 (1993) 331

Engineering mechanics

Effect of initial conditions on combustion generated loads, S.R. Tieszen 140 (1993) 81

The propagation and reflection of thermal stress waves in anisotropic nonhomogeneous hollow cylinders and spheres, N. Sumi and Y. Ito 140 (1993) 133

An adaptive finite element model for the behaviour of uranium hexafluoride filled container in a fire, R.W. Lewis, Y. Zheng and D.T. Gethin 140 (1993) 229

Three-dimensional analysis method for sloshing behavior and its application to FBRs, K. Amano, R. Iwano and Y. Sibata 140 (1993) 297

Seismic behavior of a free-standing core in a large LMFBR, M. Morishita and K. Iwata 140 (1993) 309

Outline of the seismic buckling design guideline of an FBR – a tentative draft, H. Akiyama, H. Ohtsubo, H. Nakamura, S. Matsuura, Y. Hagiwara, T. Yuhara, H. Hirayama, K. Kokubo and Y. Ooka 140 (1993) 319

Experimental and computational simulation for natural circulation in an LMFBR, H. Takeda, T. Koga and O. Watanabe 140 (1993) 331

Creep-fatigue failure test and analysis of a vessel-type structure subjected to cyclic thermal transients, N. Tanaka, K. Watashi, H. Umeda, M. Kikuchi and K. Iwata 140 (1993) 349

Full-scale aircraft impact test for evaluation of impact force, T. Sugano, H. Tsubota, Y. Kasai, N. Koshika, S. Orui, W.A. von Riesemann, D.C. Bickel and M.B. Parks 140 (1993) 373

Local damage to reinforced concrete structures caused by impact of aircraft engine missiles. Part 1. Test program, method and results, T. Sugano, H. Tsubota, Y. Kasai, N. Koshika, H. Ohnuma, W.A. von Riesemann, D.C. Bickel and M.B. Parks 140 (1993) 387

Local damage to reinforced concrete structures caused by impact of aircraft engine missiles. Part 2. Evaluation of test results, T. Sugano, H. Tsubota, Y. Kasai, N. Koshika, C. Itoh, K. Shirai, W.A. von Riesemann, D.C. Bickel and M.B. Parks 140 (1993) 407

Materials properties

The propagation and reflection of thermal stress waves in anisotropic nonhomogeneous hollow cylinders and spheres, N. Sumi and Y. Ito 140 (1993) 133

Uniaxial true stress–true strain curve for a ductile metal, W.Q. Shen and N. Jones 140 (1993) 153
Creep-fatigue failure test and analysis of a vessel-type structure subjected to cyclic thermal transients, N. Tanaka, K. Watashi, H. Umeda, M. Kikuchi and K. Iwata 140 (1993) 349

Mechanical design, component fabrication and testing

Functional tests of French safety valves, type SEBIM, for their fitness for use in the primary system of German pressurized water reactors, H. Stepan and G. Amon 140 (1993) 147
Outline of the seismic buckling design guideline of an FBR – a tentative draft, H. Akiyama, H. Ohtsubo, H. Nakamura, S. Matsuura, Y. Hagiwara, T. Yuhara, H. Hirayama, K. Kokubo and Y. Ooka 140 (1993) 319
Advanced evaluation of thermal ratchetting of FBR components, T. Igari, S. Kitade, M. Ueta, M. Ichimiya, K. Kimura, Y. Satoh and K. Take 140 (1993) 341
Creep-fatigue failure test and analysis of a vessel-type structure subjected to cyclic thermal transients, N. Tanaka, K. Watashi, H. Umeda, M. Kikuchi and K. Iwata 140 (1993) 349

Reactor concepts and systems analysis

Containment design for the Advanced and Simplified Boiling Water Reactor standard plants, P.F. Gou, H.E. Townsend, P.S. Sawhney, K. Mandagi and N.B. Duchon 140 (1993) 19
Containment for the Low Temperature District Nuclear-Heating Reactor, H. Shuyan and D. Duo 140 (1993) 33
Can the acceptance of nuclear reactors be raised by a simpler, more transparent safety concept employing improved containments?, R. Krieg 140 (1993) 39
The HTR with SiC-technology, R. Schulten 140 (1993) 261
Experimental and computational simulation for natural circulation in an LMFBR, H. Takeda, T. Koga and O. Watanabe 140 (1993) 331

Safeguard engineering

Safety of Ukraine's NPPs, A. Velikovsky 140 (1993) 285

Structural design, construction methods and testing

Recent advances in concrete containment vessels in Japan, T. Kuroda, T. Ebine, S. Sato and M. Kato 140 (1993) 3
Containment design for the Advanced and Simplified Boiling Water Reactor standard plants, P.F. Gou, H.E. Townsend, P.S. Sawhney, K. Mandagi and N.B. Duchon 140 (1993) 19
Containment concepts for High Temperature Reactors, J. Altes 140 (1993) 27
Containment for the Low Temperature District Nuclear-Heating Reactor, H. Shuyan and D. Duo 140 (1993) 33
Hydrogen distribution tests under severe accident conditions at the Large-Scale HDR-facility, L.A. Valencia 140 (1993) 51
A UK analysis of light gas distribution experiment E11.2 in the HDR facility, P.N. Smith and P. Ellicott 140 (1993) 61
The use of the COMPACT code for calculation of long term environmental effects as a result of high temperature discharges into confined areas, I.M. Coe and D.B. Utton 140 (1993) 69
Effect of initial conditions on combustion generated loads, S.R. Tieszen 140 (1993) 81
Conservative estimates for dynamic containment loads from hydrogen combustions, W. Breitung 140 (1993) 95
Study on the structural analysis of the containment and the hydrogen detonation problem under severe accident conditions, Z. Zhang and X. Yang 140 (1993) 111
Structural response of a nuclear power plant steel containment under H_2 detonation, G. Maresca, P.P. Milella and G. Pino 140 (1993) 119
Advanced evaluation of thermal ratchetting of FBR components, T. Igari, S. Kitade, M. Ueta, M. Ichimiya, K. Kimura, Y. Satoh and K. Take 140 (1993) 341
Full-scale aircraft impact test for evaluation of impact force, T. Sugano, H. Tsubota, Y. Kasai, N. Koshika, S. Orui, W.A. von Riesemann, D.C. Bickel and M.B. Parks 140 (1993) 373
Local damage to reinforced concrete structures caused by impact of aircraft engine missiles. Part 2. Evaluation of test results, T. Sugano, H. Tsubota, Y. Kasai, N. Koshika, C. Itoh, K. Shirai, W.A. von Riesemann, D.C. Bickel and M.B. Parks 140 (1993) 407

Nuclear safety

Can the acceptance of nuclear reactors be raised by a simpler, more transparent safety concept employing improved containments?, R. Krieg 140 (1993) 39

The use of the COMPACT code for calculation of long term environmental effects as a result of high temperature discharges into confined areas, I.M. Coe and D.B. Utton 140 (1993) 69
Effect of initial conditions on combustion generated loads, S.R. Tieszen 140 (1993) 81
Conservative estimates for dynamic containment loads from hydrogen combustions, W. Breitung 140 (1993) 95
Study on the structural analysis of the containment and the hydrogen detonation problem under severe accident conditions, Z. Zhang and X. Yang 140 (1993) 111
Structural response of a nuclear power plant steel containment under H_2 detonation, G. Maresca, P.P. Milella and G. Pino 140 (1993) 119
Experimental examinations of the 2D-thermal-hydraulic code FRECON for single phase natural convection flows in complex structures, M. Bürger, J. Unfried, M. Buck, R. Kulenovic, S. Rösler, M. Groll and A. Schatz 140 (1993) 193
A phenomenological model of the thermal hydraulics of convective boiling during the quenching of hot rod bundles.. Part III: Model assessment using Winfrith steady-state, post-CHF, void-fraction and heat-transfer measurements and Berkeley transient-reflood test data, C. Unal, E. Haytcher and R. Nelson 140 (1993) 211
Preliminary design study of the ultra long life fast reactor, Z. Su'ud and H. Sekimoto 140 (1993) 251
The HTR with SiC-technology, R. Schulten 140 (1993) 261
Safety of Ukraine's NPPs, A. Velikovsky 140 (1993) 285